


Simplexné patchkordy sa zvyčajne používajú na prepojení paneloch a distribučných boxoch na pripojenie prvkov optických sietí. Môžeme vám ponúknuť patchkordy SM (OS2) a MM (OM1, OM2, OM3, OM4), ako aj jednokanálové patchkordy (bend insensitive) s vláknom G657.A. Patchkordy je možné nakonektorovať všetkými štandardnými konektormi.



Špecifikácia výrobu


Teplotný rozsah	Vnútorne kontrolované prostredie (-10°C/+60°C)			
Parametre kábla	Materiál plášťa	LSZH		
	Konštrukcia	Simplexný kábel		
	Počet vlákien	cca. 2.0mm		
	Počet vlákien	1		
	Typ vlákna	SM OS2 or MMF OM1/OM2/OM3/OM4		
	Teplotný rozsah	Teplotný rozsah	použitie: -10°C to +70°C	
			skladovanie: -25°C to +70°C	
		inštalácia: -5°C to +50°C		
Parametre konektorov		LC, SC, ST, FC, E2000 (SM)	LC, SC, ST, FC, E2000 (MM)	
	Vložené straty	<0,25dB	<0,25dB	
	(acc. IEC 61300-3-4 method B)	(@1310/1550nm)	(@850/1300nm)	
	Útlm spätného odrazu	>50dB (UPC)/>60dB (APC)	>30dB	
	(acc. IEC 61300-3-6)	(@1310/1550nm)	(@850/1300nm)	
Značenie	Nálepka s jedinečným sériovým číslom na oboch koncoch výrobu.			
Balenie	Každý výrobok v plastovom sáčku, hromadné balenie v kartónovej krabici. Väčšie dĺžky navinuté na kartónovej/drevenej cievkve.			

OBJEDNÁVACIE KÓDY

Popis	Objednávaci kód
LC/UPC-LC/UPC OS2 simplex patchcord 0.9mm	C199-LL1-xxx
LC/APC-LC/APC OS2 simplex patchcord 0.9mm	C199-AA1-xxx
SC/UPC-SC/UPC OS2 simplex patchcord 0.9mm	C199-SS1-xxx
SC/APC-SC/APC OS2 simplex patchcord 0.9mm	C199-BB1-xxx
E2000/UPC-E2000/UPC OS2 simplex patchcord 0.9mm	C199-EE1-xxx
E2000/APC-E2000/APC OS2 simplex patchcord 0.9mm	C199-CC1-xxx
ST/UPC-ST/UPC OS2 simplex patchcord 0.9mm	C199-TT1-xxx
FC/UPC-FC/UPC OS2 simplex patchcord 0.9mm	C199-DD1-xxx
FC/APC-FC/APC OS2 simplex patchcord 0.9mm	C199-HH1-xxx
LC/UPC-LC/UPC OS2 simplex patchcord 1.8mm	C129-LL1-xxx
LC/APC-LC/APC OS2 simplex patchcord 1.8mm	C129-AA1-xxx
SC/UPC-SC/UPC OS2 simplex patchcord 1.8mm	C129-SS1-xxx
SC/APC-SC/APC OS2 simplex patchcord 1.8mm	C129-BB1-xxx
E2000/UPC-E2000/UPC OS2 simplex patchcord 1.8mm	C129-EE1-xxx
E2000/APC-E2000/APC OS2 simplex patchcord 1.8mm	C129-CC1-xxx
ST/UPC-ST/UPC OS2 simplex patchcord 1.8mm	C129-TT1-xxx
FC/UPC-FC/UPC OS2 simplex patchcord 1.8mm	C129-DD1-xxx
FC/APC-FC/APC OS2 simplex patchcord 1.8mm	C129-HH1-xxx
LC/UPC-LC/UPC OS2 simplex patchcord 2.8mm	C139-LL1-xxx
LC/APC-LC/APC OS2 simplex patchcord 2.8mm	C139-AA1-xxx
SC/UPC-SC/UPC OS2 simplex patchcord 2.8mm	C139-SS1-xxx
SC/APC-SC/APC OS2 simplex patchcord 2.8mm	C139-BB1-xxx
E2000/UPC-E2000/UPC OS2 simplex patchcord 2.8mm	C139-EE1-xxx
E2000/APC-E2000/APC OS2 simplex patchcord 2.8mm	C139-CC1-xxx
ST/UPC-ST/UPC OS2 simplex patchcord 2.8mm	C139-TT1-xxx
FC/UPC-FC/UPC OS2 simplex patchcord 2.8mm	C139-DD1-xxx
FC/APC-FC/APC OS2 simplex patchcord 2.8mm	C139-HH1-xxx
LC/PC-LC/PC OM3 simplex patchcord 0.9mm	C193-LL1-xxx
SC/PC-SC/PC OM3 simplex patchcord 0.9mm	C193-SS1-xxx
E2000/PC-E2000/PC OM3 simplex patchcord 0.9mm	C193-EE1-xxx
ST/PC-ST/PC OM3 simplex patchcord 0.9mm	C193-TT1-xxx
FC/PC-FC/PC OM3 simplex patchcord 0.9mm	C193-DD1-xxx
LC/PC-LC/PC OM3 simplex patchcord 1.8mm	C123-LL1-xxx
SC/PC-SC/PC OM3 simplex patchcord 1.8mm	C123-SS1-xxx
E2000/PC-E2000/PC OM3 simplex patchcord 1.8mm	C123-EE1-xxx
ST/PC-ST/PC OM3 simplex patchcord 1.8mm	C123-TT1-xxx
FC/PC-FC/PC OM3 simplex patchcord 1.8mm	C123-DD1-xxx
LC/PC-LC/PC OM3 simplex patchcord 2.8mm	C133-LL1-xxx
SC/PC-SC/PC OM3 simplex patchcord 2.8mm	C133-SS1-xxx
E2000/PC-E2000/PC OM3 simplex patchcord 2.8mm	C133-EE1-xxx
ST/PC-ST/PC OM3 simplex patchcord 2.8mm	C133-TT1-xxx
FC/PC-FC/PC OM3 simplex patchcord 2.8mm	C133-DD1-xxx
LC/PC-LC/PC OM4 simplex patchcord 0.9mm	C194-LL1-xxx
SC/PC-SC/PC OM4 simplex patchcord 0.9mm	C194-SS1-xxx
E2000/PC-E2000/PC OM4 simplex patchcord 0.9mm	C194-EE1-xxx
ST/PC-ST/PC OM4 simplex patchcord 0.9mm	C194-TT1-xxx
FC/PC-FC/PC OM4 simplex patchcord 0.9mm	C194-DD1-xxx
LC/PC-LC/PC OM4 simplex patchcord 1.8mm	C124-LL1-xxx
SC/PC-SC/PC OM4 simplex patchcord 1.8mm	C124-SS1-xxx
E2000/PC-E2000/PC OM4 simplex patchcord 1.8mm	C124-EE1-xxx
ST/PC-ST/PC OM4 simplex patchcord 1.8mm	C124-TT1-xxx
FC/PC-FC/PC OM4 simplex patchcord 1.8mm	C124-DD1-xxx
LC/PC-LC/PC OM4 simplex patchcord 2.8mm	C134-LL1-xxx
SC/PC-SC/PC OM4 simplex patchcord 2.8mm	C134-SS1-xxx
E2000/PC-E2000/PC OM4 simplex patchcord 2.8mm	C134-EE1-xxx
ST/PC-ST/PC OM4 simplex patchcord 2.8mm	C134-TT1-xxx
FC/PC-FC/PC OM4 simplex patchcord 2.8mm	C134-DD1-xxx





Duplexné patchcordy sa zvyčajne používajú na prepojení paneloch a distribučných boxoch na pripojenie prvkov optických sietí. Môžeme vám ponúknuť patchcordy SM (OS2) a MM (OM1, OM2, OM3, OM4), ako aj jednokanálové patchcordy (bend insensitive) s vláknom G657.A. Patchcordy je možné nakonektorovať všetkými štandardnými konektormi.

















Špecifikácia výrobu

Teplotný rozsah	Vnútorne kontrolované prostredie (-10°C/+60°C)			
Parametre kábla	Materiál plášťa	LSZH		
	Konštrukcia	Duplexný kábel		
	Vonkajší priemer	cca. 1.8mm x 3.7mm		
	Počet vlákien	2		
	Typ vlákna	SM OS2 or MMF OM1/OM2/OM3/OM4		
	Teplotný rozsah	podľa použitia:	-10°C to +70°C	
		podľa skladovania:	-25°C to +70°C	
podľa inštalácie:		-5°C to +50°C		
Parametre konektorov		LC, SC, ST, FC, E2000 (SM)	LC, SC, ST, FC, E2000 (MM)	
	Vložené straty	<0,25dB		
	(acc. IEC 61300-3-4 method B)	@1310/1550nm	@850/1300nm	
	Útlm spätného odrazu	>50dB (UPC)/>60dB (APC)		
	(acc. IEC 61300-3-6)	@1310/1550nm	@850/1300nm	
Značenie	Nálepka s jedinečným sériovým číslom na oboch koncoch výrobu.			
Balenie	Každý výrobok v plastovom sáčku, hromadné balenie v kartónovej krabici. Väčšie dĺžky navinuté na kartónovej/drevenej cievke.			

Popis	OBJEDNÁVACIE KÓDY	Objednávaci kód
LC/UPC-LC/UPC OS2 duplex patchcord 1.8mm		C229-LL1-xxx
LCD/UPC-LCD/UPC OS2 duplex patchcord 1.8mm		C229-LL2-xxx
LC/APC-LC/APC OS2 duplex patchcord 1.8mm		C229-AA1-xxx
LCD/APC-LCD/APC OS2 duplex patchcord 1.8mm		C229-AA2-xxx
SC/UPC-SC/UPC OS2 duplex patchcord 1.8mm		C229-SS1-xxx
SCD/UPC-SCD/UPC OS2 duplex patchcord 1.8mm		C229-SS2-xxx
SC/APC-SC/APC OS2 duplex patchcord 1.8mm		C229-BB1-xxx
SCD/APC-SCD/APC OS2 duplex patchcord 1.8mm		C229-BB1-xxx
E2000/UPC-E2000/UPC OS2 duplex patchcord 1.8mm		C229-EE1-xxx
E2000/APC-E2000/APC OS2 duplex patchcord 1.8mm		C229-CC1-xxx
ST/UPC-ST/UPC OS2 duplex patchcord 1.8mm		C229-TT1-xxx
FC/UPC-FC/UPC OS2 duplex patchcord 1.8mm		C229-DD1-xxx
FC/APC-FC/APC OS2 duplex patchcord 1.8mm		C229-HH1-xxx
LC/UPC-LC/UPC OS2 duplex patchcord 2.8mm		C239-LL1-xxx
LCD/UPC-LCD/UPC OS2 duplex patchcord 2.8mm		C239-LL2-xxx
LC/APC-LC/APC OS2 duplex patchcord 2.8mm		C239-AA1-xxx
LCD/APC-LCD/APC OS2 duplex patchcord 2.8mm		C239-AA2-xxx
SC/UPC-SC/UPC OS2 duplex patchcord 2.8mm		C239-SS1-xxx
SCD/UPC-SCD/UPC OS2 duplex patchcord 2.8mm		C239-SS2-xxx
SC/APC-SC/APC OS2 duplex patchcord 2.8mm		C239-BB1-xxx
SCD/APC-SCD/APC OS2 duplex patchcord 2.8mm		C239-BB1-xxx
E2000/UPC-E2000/UPC OS2 duplex patchcord 2.8mm		C239-EE1-xxx
E2000/APC-E2000/APC OS2 duplex patchcord 2.8mm		C239-CC1-xxx
ST/UPC-ST/UPC OS2 duplex patchcord 2.8mm		C239-TT1-xxx
FC/UPC-FC/UPC OS2 duplex patchcord 2.8mm		C239-DD1-xxx
FC/APC-FC/APC OS2 duplex patchcord 2.8mm		C239-HH1-xxx
LC/PC-LC/PC OM4 duplex patchcord 1.8mm		C224-LL1-xxx
LCD/PC-LCD/PC OM4 duplex patchcord 1.8mm		C224-LL2-xxx
SC/PC-SC/PC OM4 duplex patchcord 1.8mm		C224-SS1-xxx
SCD/PC-SCD/PC OM4 duplex patchcord 1.8mm		C224-SS2-xxx
E2000/PC-E2000/PC OM4 duplex patchcord 1.8mm		C224-EE1-xxx
ST/PC-ST/PC OM4 duplex patchcord 1.8mm		C224-TT1-xxx
FC/PC-FC/PC OM4 duplex patchcord 1.8mm		C224-DD1-xxx
LC/PC-LC/PC OM4 duplex patchcord 2.8mm		C234-LL1-xxx
LCD/PC-LCD/PC OM4 duplex patchcord 2.8mm		C234-LL2-xxx
SC/PC-SC/PC OM4 duplex patchcord 2.8mm		C234-SS1-xxx
SCD/PC-SCD/PC OM4 duplex patchcord 2.8mm		C234-SS2-xxx
E2000/PC-E2000/PC OM4 duplex patchcord 2.8mm		C234-EE1-xxx
ST/PC-ST/PC OM4 duplex patchcord 2.8mm		C234-TT1-xxx
FC/PC-FC/PC OM4 duplex patchcord 2.8mm		C234-DD1-xxx



 SC/PC-SC/PC	 SC/PC-SC/PC	 SC/PC-SC/PC	 SC/PC-SC/PC	 SC/PC-SC/PC
 SC/PC-SC/PC	 SC/PC-LC/PC	 SC/PC-LC/PC	 SC/PC-ST/PC	 SC/PC-ST/PC
 SC/PC-ST/PC	 SC/PC-LC/PC	 SC/PC-LC/PC	 SC/PC-LC/PC	
 SC/APC-SC/APC	 SC/APC-SC/PC	 SC/APC-LC/PC	 SC/APC-LC/APC	 SC/APC-SC/APC
 SC/APC-SC/PC	 SC/APC-LC/PC	 SC/APC-ST/PC		 ST/PC-ST/PC
 FC/PC-FC/PC	 FC/PC-ST/PC	 FC/PC-SC/APC	 FC/PC-SC/PC	 FC/APC-SC/PC
 E2000/APC-E2000/APC	 E2000/APC-SC/APC	 E2000/APC-SC/PC	 E2000/APC-LC/PC	 E2000/APC-LC/APC